

FEATURES

- Square solid metal trim set
- Single handle temperature control
- Fluehs German-made diverter cartridge included
- 2 sets of handles included
- XPress thermostatic valve not included (#90801)


- Ceramic cartridges: #ABCA-TH-200 (2-way shared)
 #ABCA-TH-300 (3-way shared)
 #ABCA-TH-2LD (2-way non-shared)
 #ABCA-TH-3LD (3-way non-shared)

FINISHES

- Polished chrome (PC)
- Brushed Nickel PVD (BNVD)
- Electro Black (EBK)
- Sunset PVD (SUVD)

CERTIFICATIONS & COMPLIANCE

- ASME A112.18.1
- CSA B125.1



Quick access to warranty and support:





FEATURES


- 15" round shower arm
- Square flange
- 1/2" NPT male connection

FINISHES

- Polished chrome (PC)
- Brushed Nickel PVD (BNVD)
- Electro Black (EBK)
- Sunset PVD (SUVD)
- White (WH)

CERTIFICATIONS & COMPLIANCE

- ASME A112.18.1
- CSA B125.1



Quick access to warranty and support:





FEATURES

Stainless-steel construction
Contemporary style
Silicone spray nozzles for easy cleaning
1/2" female connection



Flow rate: 1.8 gpm

FINISHES

Polished chrome (PC) Brushed Nickel PVD (BNVD)
Electro Black (EBK) Sunset PVD (SUVD)
White (WH)

CERTIFICATIONS & COMPLIANCE

ASME A112.18.1 EPA WaterSense®
CSA B125.1



Quick access to warranty
and support:





FEATURES


Solid brass construction
1/2" NPT male connection

FINISHES

Polished chrome (PC) Brushed Nickel PVD (BNVD)
Electro Black (EBK) Sunset PVD (SUVD)
White (WH)

CERTIFICATIONS & COMPLIANCE

ASME A112.18.1 CSA B125.1



Quick access to warranty
and support:





FEATURES


Solid brass construction
1/2" NPT female connection
Adjustable flange

FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	


CERTIFICATIONS & COMPLIANCE

ASME A112.18.1	CSA B125.1
----------------	------------



Quick access to warranty
and support:







FEATURES

Round rail with adjustable metal sliding hook
Metal bar (stainless steel)

FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)



Quick access to warranty
and support:







FEATURES

Crystal clear water flow
Solid brass
1/2" slip-fit inlet

FINISHES

Polished chrome (PC) Brushed Nickel PVD (BNVD)
Electro Black (EBK) Sunset PVD (SUVD)



Quick access to warranty and support:






FEATURES

Crystal clear water flow
Solid brass
1/2" slip-fit inlet

FINISHES

Polished chrome (PC) Brushed Nickel PVD (BNVD)
Electro Black (EBK) Sunset PVD (SUVD)



Quick access to warranty
and support:





FEATURES

3 functions: rain / rain-mist / jet



Flow rate: 1.8 gpm

FINISHES

Polished chrome (PC) Brushed Nickel PVD (BNVD)
Electro Black (EBK) Sunset PVD (SUVD)

CERTIFICATIONS & COMPLIANCE

ASME A112.18.1 EPA WaterSense®
CSA B125.1



Quick access to warranty
and support:





FEATURES


Double interlock 5' spiral hose
ANTI TWIST (one end with ball-bearing)
1/2" connections

FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	

CERTIFICATIONS & COMPLIANCE

ASME A112.18.1	CSA B125.1
----------------	------------



Quick access to warranty
and support:





FEATURES

Double interlock 5' spiral hose
ANTI TWIST (one end with ball-bearing)
1/2" connections

Round rail with adjustable metal sliding hook
Metal bar (stainless steel)

3 functions: rain / rain-mist / jet




Flow rate: 1.8 gpm

FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	

CERTIFICATIONS & COMPLIANCE

ASME A112.18.1 CSA B125.1



Quick access to warranty and support:

