

## FEATURES

- Square solid metal trim set
- Single handle temperature control
- Fluehs German-made diverter cartridge included
- 2 sets of handles included
- XPress thermostatic valve not included (#90801)


- Ceramic cartridges: #ABCA-TH-200 (2-way shared)  
 #ABCA-TH-300 (3-way shared)  
 #ABCA-TH-2LD (2-way non-shared)  
 #ABCA-TH-3LD (3-way non-shared)

## FINISHES

- Polished chrome (PC)
- Brushed Nickel PVD (BNVD)
- Electro Black (EBK)
- Sunset PVD (SUVD)

## CERTIFICATIONS & COMPLIANCE

- ASME A112.18.1
- CSA B125.1



Quick access to warranty  
and support:





**FEATURES**


- 15" round shower arm
- Square flange
- 1/2" NPT male connection

**FINISHES**

- Polished chrome (PC)
- Brushed Nickel PVD (BNVD)
- Electro Black (EBK)
- Sunset PVD (SUVD)
- White (WH)

**CERTIFICATIONS & COMPLIANCE**

- ASME A112.18.1
- CSA B125.1



Quick access to warranty and support:





**FEATURES**

- Stainless-steel construction
- Contemporary style
- Silicone spray nozzles for easy cleaning
- 1/2" female connection



Flow rate: 1.8 gpm

**FINISHES**

- Polished chrome (PC)
- Brushed Nickel PVD (BNVD)
- Electro Black (EBK)
- Sunset PVD (SUVD)
- White (WH)

**CERTIFICATIONS & COMPLIANCE**

- ASME A112.18.1
- EPA WaterSense®
- CSA B125.1



Quick access to warranty and support:





## FEATURES


Solid brass construction  
1/2" NPT male connection

## FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	

## CERTIFICATIONS & COMPLIANCE

ASME A112.18.1	CSA B125.1
----------------	------------



Quick access to warranty  
and support:





### FEATURES


Solid brass construction  
1/2" NPT female connection  
Adjustable flange

### FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	


### CERTIFICATIONS & COMPLIANCE

ASME A112.18.1	CSA B125.1
----------------	------------



Quick access to warranty  
and support:







## FEATURES

Round rail with adjustable metal sliding hook  
Metal bar (stainless steel)

## FINISHES

Polished chrome (PC)      Brushed Nickel PVD (BNVD)  
Electro Black (EBK)      Sunset PVD (SUVD)



Quick access to warranty  
and support:





**FEATURES**

3 functions: rain / rain-mist / jet


Flow rate: 1.8 gpm

**FINISHES**

Polished chrome (PC)      Brushed Nickel PVD (BNVD)  
Electro Black (EBK)      Sunset PVD (SUVD)

**CERTIFICATIONS & COMPLIANCE**

ASME A112.18.1      EPA WaterSense®  
CSA B125.1



Quick access to warranty and support:





## FEATURES


Double interlock 5' spiral hose  
ANTI TWIST (one end with ball-bearing)  
1/2" connections

## FINISHES

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	

## CERTIFICATIONS & COMPLIANCE

ASME A112.18.1	CSA B125.1
----------------	------------



Quick access to warranty  
and support:





**FEATURES**

Double interlock 5' spiral hose  
ANTI TWIST (one end with ball-bearing)  
1/2" connections

Round rail with adjustable metal sliding hook  
Metal bar (stainless steel)

3 functions: rain / rain-mist / jet




Flow rate: 1.8 gpm

**FINISHES**

Polished chrome (PC)	Brushed Nickel PVD (BNVD)
Electro Black (EBK)	Sunset PVD (SUVD)
White (WH)	

**CERTIFICATIONS & COMPLIANCE**

ASME A112.18.1      CSA B125.1



Quick access to warranty and support:

